

Replacing Flame Rod Coupler – Sideline Elite Series

Tools Needed:

- Phillips Screwdriver

Instructions


1. Turn Off Sideline Elite Fireplace.
2. Remove the glass panel from the fireplace by removing the 2 screws holding the panel in place.



3. Once the glass panel is removed, remove the firelog/glass crystals and 2 side pieces inside the fireplace opening.



4. Remove the 4 screws holding the bar at the top of the flame display board.





5. Once the bar is removed, remove the flame display board.





6. After removing the flame display board, remove the 4 screws holding the flame panel in place.






7. After removing the flame panel, locate the flame motor and check the coupler between the flame rod and the flame rod motor.





8. Remove the broken coupler from the flame rod motor and the flame rod. Cut the zip tie holding the coupler to the flame and remove the coupler from the flame rod as well.




9. Install the coupler on the flame rod and then slide the coupler over the flame motor shaft so that the hole in the coupler lines up with the hole in the flame motor shaft.



10. Once the flame rod coupler is attached to the flame rod, secure the coupler to the flame motor with a wire tie and twist the wire tie to secure.



11. Once the wire tie is installed, cut the excess wire tie and wrap the wire tie around the coupler.



12. Once installed, test the fireplace by running the flames.


13. Once satisfied, reinstall the flame panel and refasten the 4 screws holding the panel in place.



14. Once the flame panel is installed, reinstall the flame display board and the bar holding the bar in place.



15. Reinstall the bar at the top of the flame display panel.



16. Reinstall the 2 side panels.



17. Once the side panels are reinstalled, reinstall the log/crystals and front glass panel.



****If you have any questions, contact the technical support department at Touchstone Home Products at 800-215-1990.**